

Either or Concept

- (i) जब दो Conclusion में Subject और Predicate Common रहे
- (ii) दोनों by Rule गलत हो जाय, तो :-

Case 1 : जब रिश्ता न बने

NO Relation

क्या पूर जामा

हम देखेंगे कि दोनों Conclusion मिलकर हमारे तीनों Condition ( $> = <$ ) बड़ा, बराबर और छोटा को Full fill कर दे तो Ans. either or होगा।

Example

(A) Statement :-  $A > B \geq C = D < E$

Conclusion :-

$(\times) (1) A > E$  }  $\left. \begin{matrix} \geq \\ = \\ < \end{matrix} \right\}$  Ans. – Either (1) or (2) follow  
 $(\times) (2) A \leq E$  } या तो (1) या (2) सही है।

(B) Statement :-  $A > B \geq C = D < E$

Conclusion :-

~~(\*)~~ (1)  $B > E$   
~~(\*)~~ (2)  $E \geq B$

$\left. \begin{array}{l} B > E \\ E \geq B \end{array} \right\} B \begin{array}{c} > \\ = \\ < \end{array} E$

Ans. - Either (1) or (2) follow

$B > E$   
 $E \geq B$

$B > E$   
 $B \leq E$

Case II – (Actual Relation)

यदि Case I को Full fill न करें तो हम देखेंगे कि दोनों Conclusion मिलकर हमारे Actual Relation को Full Fill कर दें तो भी Ans. either or में होगा।

Ex :-

$$A > B \geq C = D < E$$

~~(1)~~  $B > D$

~~(2)~~  $B = D$

B से D में Actual में  $\geq$  आना चाहिए

यहाँ दोनों conclusion को मिलाने पर

$B \geq D$  हो जाता है।

∴ Ans. :- either (1) or (2) follow

अर्थात् Actual Relation को Full fill कर देता है।

~~Either Or~~

12. Statement :-

$$A > B \geq C = D < E$$

Conclusion :-

~~(1)  $A < E$~~

~~(2)  $E \geq A$~~

✓  
✓

☞ In these question, relationship between different element is shown in the statements. The statements are followed by conclusions :-

**Give Answer –**

- (1) if only conclusion 1 is true.
- (2) if only conclusion 2 is true.
- (3) if either conclusion 1 or 2 is true.
- (4) if neither conclusion 1 nor 2 is true.
- (5) if both conclusion 1 and 2 are true.

13. Statement :- **4**

$$R > I < T \geq U = A$$

Conclusion :-

**X**(1)  $U > I$

**X**(2)  $R > A$

☞ In these question, relationship between different element is shown in the statements. The statements are followed by conclusions :-

**Give Answer –**

- (1) if only conclusion 1 is true.
- (2) if only conclusion 2 is true.
- (3) if either conclusion 1 or 2 is true.
- (4) if neither conclusion 1 nor 2 is true.
- (5) if both conclusion 1 and 2 are true.

14. Statement :-

$$Z \geq D < I = J \geq K$$

Conclusion :-

~~X~~ (1)  $Z \leq I$

~~X~~ (2)  $I > K = \textcircled{\geq}$

☞ In these question, relationship between different element is shown in the statements. The statements are followed by conclusions :-

**Give Answer –**

- (1) if only conclusion 1 is true.
- (2) if only conclusion 2 is true.
- (3) if either conclusion 1 or 2 is true.
- (4) if neither conclusion 1 nor 2 is true.
- (5) if both conclusion 1 and 2 are true.



15. Statement :-

$$A > M < R = S \geq J$$

Conclusion :-

- (1)  $S \geq J$  ✓
- X(2)  $J = S$

- ☞  $P < Q$  का अर्थ है P, Q से छोटा है।
- $P @ Q$  का अर्थ है P, Q से या तो छोटा है या समान है।
- $P \% Q$  का अर्थ है P, Q से बड़ा है।
- $P \$ Q$  का अर्थ है P, Q से या तो बड़ा है या समान है।
- $P * Q$  का अर्थ है P, Q के समान है।



2008

16. Statement :-

$$B < T, T * M, M \% F$$

Conclusion :-

~~(1)  $B < M$~~   $\textcircled{<} =$

~~(2)  $B < F$~~   $\textcircled{< = >} =$

- ☞  $P \odot Q$  का अर्थ है  $P, Q$  से छोटा है।
- $P @ Q$  का अर्थ है  $P, Q$  से या तो छोटा है या समान है।
- $P \% Q$  का अर्थ है  $P, Q$  से बड़ा है।
- $P \$ Q$  का अर्थ है  $P, Q$  से या तो बड़ा है या समान है।
- $P \star Q$  का अर्थ है  $P, Q$  के समान है।

2009


17. Statement :-

$B \odot T, M \% F, T \star M$

Conclusion :-

(1)  $B \odot M$

(2)  $B \odot F$



- ☞  $P \odot Q$  का अर्थ है  $P, Q$  से छोटा है।
- $P @ Q$  का अर्थ है  $P, Q$  से या तो छोटा है या समान है।
- $P \% Q$  का अर्थ है  $P, Q$  से बड़ा है।
- $P \$ Q$  का अर्थ है  $P, Q$  से या तो बड़ा है या समान है।
- $P \star Q$  का अर्थ है  $P, Q$  के समान है।

2010

18. Statement :-

$B \odot T, F \odot M, T \star M$

FOM  
B < T, T = M, M > F

Conclusion :-

- ~~(1)  $B \odot M$~~
- ~~(2)  $B \odot F$~~

- ☞  $P \odot Q$  का अर्थ है  $P, Q$  से छोटा है।  
 $P @ Q$  का अर्थ है  $P, Q$  से या तो छोटा है या समान है।  
 $P \% Q$  का अर्थ है  $P, Q$  से बड़ा है।  
 $P \$ Q$  का अर्थ है  $P, Q$  से या तो बड़ा है या समान है।  
 $P \star Q$  का अर्थ है  $P, Q$  के समान है।

2011-12

19. Statement :-

$$B \odot T \star M \% F$$

Conclusion :-

✓ (1)  $B \odot M$

✗ (2)  $B \odot F$

- ☞  $P \odot Q$  का अर्थ है  $P, Q$  से छोटा है।
- $P @ Q$  का अर्थ है  $P, Q$  से या तो छोटा है या समान है।
- $P \% Q$  का अर्थ है  $P, Q$  से बड़ा है।
- $P \$ Q$  का अर्थ है  $P, Q$  से या तो बड़ा है या समान है।
- $P \star Q$  का अर्थ है  $P, Q$  के समान है।

2013-15

20. Statement :-

$$B < T = M > F$$

Conclusion :-

- ✓ (1)  $B < M$
- ✗ (2)  $B < F$

- ☞  $P \odot Q$  का अर्थ है  $P, Q$  से छोटा है।
- $P @ Q$  का अर्थ है  $P, Q$  से या तो छोटा है या समान है।
- $P \% Q$  का अर्थ है  $P, Q$  से बड़ा है।
- $P \$ Q$  का अर्थ है  $P, Q$  से या तो बड़ा है या समान है।
- $P \star Q$  का अर्थ है  $P, Q$  के समान है।

2016-.....

21. Statement :-

$$A < B < C; A > D; C < F$$

Conclusion :-

~~(1)  $D < C$~~

~~(2)  $F > D$~~

$D < A < B < C$

$D < A < B < C < F$

$<$   
 $>$

- ☞  $P \odot Q$  का अर्थ है  $P, Q$  से छोटा है।
- $P @ Q$  का अर्थ है  $P, Q$  से या तो छोटा है या समान है।
- $P \% Q$  का अर्थ है  $P, Q$  से बड़ा है।
- $P \$ Q$  का अर्थ है  $P, Q$  से या तो बड़ा है या समान है।
- $P \star Q$  का अर्थ है  $P, Q$  के समान है।

22. Statement :-

$$B < T = M > F; A > M = C$$

Conclusion :-

~~(1)  $B < C$~~

~~(2)  $F < A$~~

$B < T = M = C$

$F < M < A$

☞ In these question, relationship between different element is shown in the statements. The statements are followed by conclusions :-

**Give Answer –**

- (1) if only conclusion 1 is true.
- (2) if only conclusion 2 is true.
- (3) if either conclusion 1 or 2 is true.
- (4) if neither conclusion 1 nor 2 is true.
- (5) if both conclusion 1 and 2 are true.

**23. Statement :-**

$$R > I < T \geq U = A$$

**Conclusion :-**

~~(1)  $U > I$~~   $< \geq$

~~(2)  $R > A$~~   $> < > =$

☞ In these question, relationship between different element is shown in the statements. The statements are followed by conclusions :-

Give Answer -

- (1) if only conclusion 1 is true.
- (2) if only conclusion 2 is true.
- (3) if either conclusion 1 or 2 is true.
- (4) if neither conclusion 1 nor 2 is true.
- (5) if both conclusion 1 and 2 are true.

24. Statement :-

$$Z \geq D < I = J \geq K$$

Conclusion :-

~~X~~ (1)  $Z \geq I \geq <$  No Relation

~~X~~ (2)  $I > K = \geq$

☞ In these question, relationship between different element is shown in the statements. The statements are followed by conclusions :-

**Give Answer –**

- (1) if only conclusion 1 is true.
- (2) if only conclusion 2 is true.
- (3) if either conclusion 1 or 2 is true.
- (4) if neither conclusion 1 nor 2 is true.
- (5) if both conclusion 1 and 2 are true.

25. Statement :-

$$A > M < R = S \geq J$$

Conclusion :-

✓ (1)  $S \geq J$

✗ (2)  $J \leq S$

☞ In these question, relationship between different element is shown in the statements. The statements are followed by conclusions :-

Give Answer -

- (1) if only conclusion 1 is true.
- (2) if only conclusion 2 is true.
- (3) if either conclusion 1 or 2 is true.
- (4) if neither conclusion 1 nor 2 is true.
- (5) if both conclusion 1 and 2 are true.

26. Statement :-

$$M = A \geq N < I = S \leq H$$

Conclusion :-

~~X~~ (1)  $H > A$  No relation

~~X~~ (2)  $A \geq I$   $\geq <$  NO R.

☞ In these question, relationship between different element is shown in the statements. The statements are followed by conclusions :-

**Give Answer –**

- (1) if only conclusion 1 is true.
- (2) if only conclusion 2 is true.
- (3) if either conclusion 1 or 2 is true.
- (4) if neither conclusion 1 nor 2 is true.
- (5) if both conclusion 1 and 2 are true.

27. Statement :-

$$S > N = P > O = D > A < R$$

Conclusion :-

✓ (1)  $S > O > = >$

✗ (2)  $P < A > = >$

- Give answer**
- (1) if only conclusion 1 is true.
  - (2) if only conclusion 2 is true.
  - (3) if either conclusion 1 or 2 is true.
  - (4) if neither conclusion 1 nor 2 is true.
  - (5) if both conclusion 1 and 2 are true.

*Reverse*

28. Statement :-

$$A \geq B > C < O = M$$

Conclusion :-

~~(1)  $C < A \geq$~~

~~(2)  $M > B > < =$~~

**BY :- Manish Sir**

$\otimes > <$

x

**Give Answer –**

- (1) if only conclusion 1 is true.
- (2) if only conclusion 2 is true.
- (3) if either conclusion 1 or 2 is true.
- (4) if neither conclusion 1 nor 2 is true.
- (5) if both conclusion 1 and 2 are true.

29. Statement :-


$$W > D < M < P < A = F$$

Conclusion :-

~~(1)  $F > D < < < =$~~

N.R.

~~(2)  $P < W > < <$~~



**BY :- Manish Sir**

statements. The statements are followed by conclusions :-

**Give Answer –**

- (1) if only conclusion 1 is true.
- (2) if only conclusion 2 is true.
- (3) if either conclusion 1 or 2 is true.
- (4) if neither conclusion 1 nor 2 is true.
- (5) if both conclusion 1 and 2 are true.

30. Statement :-

$$S = R > Q, P < Q$$

Conclusion :-

~~(1)  $S > P$~~

~~(2)  $R > P$~~

(5) Ans

$S = R > Q > P$

**BY : - Manish Sir**

**Give Answer –**

- (1) if only conclusion 1 is true.
- (2) if only conclusion 2 is true.
- (3) if either conclusion 1 or 2 is true.
- (4) if neither conclusion 1 nor 2 is true.
- (5) if both conclusion 1 and 2 are true.

**31. Statement :-**

$$U > A = I < O < E$$

**Conclusion :-**

~~U~~ (1)  $I < E$  

W.P.

X (2)  $O > U$  

---

**BY : - Manish Sir**